

COLUMNS & PORCH POSTS






COLUMNS & PORCH POSTS

NOTICE :

PL PREMIUM ADHESIVE MUST BE USED ON ALL JOINTS.



1 SMOOTH TAPERED COLUMN
CLM 1813-SM

- 13' height • 15" top diameter • 18" bottom diameter
- 22 1/4" cap width • 6" cap height
- 24 1/4" base width • 9 7/8" base height

2 SMOOTH STRAIGHT COLUMN

- CLM 6-8** • 6" diameter x 8' height
- CLM 6-10** • 6" diameter x 10' height
- CLM 6-12** • 6" diameter x 12' height
- CLM 8-8** • 8" diameter x 8' height
- CLM 8-10** • 8" diameter x 10' height
- CLM 8-12** • 8" diameter x 12' height
- CLM 10-8** • 10" diameter x 8' height
- CLM 10-10** • 10" diameter x 10' height
- CLM 10-12** • 10" diameter x 12' height
- CLM 12-8** • 12" diameter x 8' height
- CLM 12-10** • 12" diameter x 10' height
- CLM 12-12** • 12" diameter x 12' height
- CLM 14-8** • 14" diameter x 8' height
- CLM 14-10** • 14" diameter x 10' height
- CLM 14-12** • 14" diameter x 12' height

- Cap and base fit over and under column shaft
- Column shaft available in 2 halves or assembled in 1 piece
- Column is decorative (non supporting), however can be wrapped around an existing support

3 SMOOTH STRAIGHT COLUMN
CLM 22120 • 22" diameter x 10' height

4 FLUTED TAPERED COLUMN

- CLM-TF 10-8** • 10" diameter x 8' height
- CLM-TF 10-9** • 10" diameter x 9' height

- Cap and base fit around column shaft
- Column shaft available in 2 halves or assembled in 1 piece
- Column is decorative (non supporting), however can be wrapped around an existing support

5 SMOOTH TAPERED COLUMN WITH STEEL INSERT

- CLM 8-AT** **CLM 8-ST**


- 6 3/8" column diameter top
- 7 5/8" column diameter base
- 5' height
- (See CAP8 and BSE8 on page 31)
- Complete with hardware kit
- Cap and base fit over column shaft
- Load bearing column with galvanized steel pipe encased in polyurethane
- Maximum safe load 12,000 pounds

See Caps and Bases on opposite page.


1 • 800 • 685 • 9981




COLUMNS & PORCH POSTS




CAP 6S
 • 5 1/2" i. d. Scamozzi Cap




CAP 18-T
 • 22" square x 6" h.
 • To fit CLM 1813-SM




BSE 18-T
 • 24" square x 9 7/8" h.
 • To fit CLM 1813-SM




CAP 6-STD
 • 7" square x 4" h.
 • To fit CLM 6



BSE 6-STD
 • 7" square x 4" h.
 • To fit CLM 6



CAP 8-STD
 • 10" square x 2 3/4" h.
CAP 10-STD
 • 12 3/4" square x 2 3/4" h.
CAP 12-STD
 • 15" square x 2 3/4" h.
 • To fit CLM 8 to CLM 12



BSE 8-STD
 • 10" square x 2 3/4" h.
BSE 10-STD
 • 12 3/4" square x 2 3/4" h.
BSE 12-STD
 • 15" square x 2 3/4" h.
 • To fit CLM 8 to CLM 12


CAP 22
 • 22" square x 1" h.
 • To fit CLM 22120



CAP 8
 • 8 3/4" square x 3" h.
 • To fit CLM 8-AT and CLM 8-ST




BSE 8
 • 10 1/4" square x 3 3/8" h.
 • To fit CLM 8-AT and CLM 8-ST




CAPS & BASES

CAPS-10
 • 12" Top Width
 • 8 3/4" Base Width
 • 3 5/8" Height
 • To fit CLM TF-10



BSES-10
 • 9 1/2" Top Width
 • 13 3/8" Base Width
 • 5 3/8" Height
 • To fit CLM TF-10



CAP 14
 • 13 1/2" i.d.
 • 21" Height
 • To fit CLM 14
 • Corinthian Cap




COLUMNS & PORCH POSTS



SMOOTH BOX COLUMN
SBC

SMOOTH BOX COLUMN WITH STEEL INSERT
SBCS



FLUTED BOX COLUMN
FBC

FLUTED BOX COLUMN WITH STEEL INSERT
FBCS

BOX COLUMNS


SBC & FBC COLUMNS

- Available in 2 halves or assembled in 1 piece.
- Column is decorative (non supporting) however can be wrapped around an existing support.

SBCS & FBCS COLUMNS

- Comes complete with hardware kit
- Load bearing column with galvanized steel pipe encased in polyurethane.
- Maximum safe load 3,5000 pounds

- Complete with Base



PORCH POSTS

- 1 PP 3200**
• 5 1/4" p. x 5 1/4" w. x 9' height
- 2 PP 3201**
• 5 1/4" p. x 5 1/4" w. x 8' height
- 3 PP 3202**
• 5 1/2" p. x 5 1/2" w. x 10'6" height

- Load bearing porch post with galvanized steel pipe encased in polyurethane
- Maximum safe load 3,500 pounds
- Porch posts installation instructions on page 104.

BOX COLUMNS

PRODUCT NUMBER		BOX DIMENSION			
DECORATIVE	STRUCTURAL	STYLE	HEIGHT	BASE SIZE	COLUMN SIZE
SBC 860	SBCS 860	Smooth	60"	8" x 8"	6" x 6"
SBC 896	SBCS 896	Smooth	96"	8" x 8"	6" x 6"
SBC 8120	SBCS 8120	Smooth	120"	8" x 8"	6" x 6"
SBC 8144	SBCS 8144	Smooth	144"	8" x 8"	6" x 6"
SBC 1060	SBCS 1060	Smooth	60"	10 1/2" x 10 1/2"	8" x 8"
SBC 1096	SBCS 1096	Smooth	96"	10 1/2" x 10 1/2"	8" x 8"
SBC 10120	SBCS 10120	Smooth	120"	10 1/2" x 10 1/2"	8" x 8"
SBC 10144	SBCS 10144	Smooth	144"	10 1/2" x 10 1/2"	8" x 8"
FBC 860	FBCS 860	Fluted	60"	8" x 8"	6" x 6"
FBC 896	FBCS 896	Fluted	96"	8" x 8"	6" x 6"
FBC 1060	FBCS 1060	Fluted	60"	10 1/2" x 10 1/2"	8" x 8"
FBC 1096	FBCS 1096	Fluted	96"	10 1/2" x 10 1/2"	8" x 8"

